BANKS (Sir Joseph)

NEWFOUNDLAND MANUSCRIPT.

Teaux Sept 14 17 66 N'Enforced land compagned down of the Note be 33. is be give a very see tempore genoupela Haut Birds

Aves Anseres Mergus Serrator! Crista Sependente, capite negro maculis Gerrugineis Linn: Syst: Nat: 62:3:descr: Caput y brista quoco nigra tempera gena que derrugenea Remiges 1:10: nigra 11:14: parte interiore alba 15:21: alto Basis negris supra his tectrices alto sunt. Ergo basiv rernigium 15:21 ngra faut Lineam Gransversan Habitat in Simulus Perca estra Gluminum -Pullus antiquem volitat citifiine super aquem conit

Aves Gralla Scolonar Gallinago Rostro Recto apice tuberculato ped dus Guscis Lineis frontis duscis quaternis dunn: Syst: Nat: 77:11 Descr: Rostrum rectum Longum prope apiem cum post morten sieum 3st punetis excavatis adspersum parte anterieri etubi Punctatum Est, sed Versus Basique pallidum vertex nigrum in media parte linea albida distinctum gence alba ded dinea higra a vostro peroculos Justa Est gule albida ut et collum et l'ectus hi tamen maculis sive undules tuscis Tineta sent abdomen album ded Latera que sub oles negro fosita Torram vulo-altido negro q varium est et et tectrices alorum superiory sed pouls polled cores sont Senna scapularn tegentes dusca sont aprechy allis at et et remiges secondario primario fusca sed primamargine exteriore alba 11:21: epicitus albis tectrices interieres nigro albog Vesciato sunt tectrices couda vufa sunt fascus sure lineis transversis nignis rectrices 12:12: kubo mero forciato religio mero ameribus vafro sed linea parba ugra poledinem percurvit poles orridopeumber Digitis Long fring extrany Longitudine tobio

Chatteurs Leptr lonce Gallinezo Rostro Reeto aprice tebenculato per sua Eureus diness frontis quois quaternes retature 20t, a leaves Basingpalled une vartes reguine in med a lines albida distinction gover allo to diese regre a vatro perocular to lot gule altoda at et collins et teelen he tomen maculis pine

9:10 Aves Grallee Scolopase Melanura: Rostro subrecurvato, Longiforno; Teser: magnitudo 1: Rusticola postrum dong i simum, nigrum, Subreevratury, basi tamen maxilla inferioris albidum Caput Juseumy maculis nonnullis albidis; Linea Albida a vostro supra oculos: Collum et Fretus, Cinerca: abdomen, albidumi Forsum Guseum, maculis Poseis nigricantibus: Remiges 1:5, Jako immeulato; 6:10:, Parte superiori dimidio albidai reliqua Bases habent albor, sed tectrices Partem albam occludants Gestrices dusco, Dorso concolores; Pluma uropigii sive tectrices, rectricum, alba sont aprilous nigris: rectrices ipso nigra exteriores Basi albescentes: omnes apicibil fiscesseenthis. Habitat ad Littera Maris.

Chattee va leps to Aved Girlla Redeling migris, aropigio albo .... form married nominally alterd of mea otherd a correspond Wood: Collum et Jeeters, Ceneras: abdomen, albiduis Dorsun vivin more whis Poseis nigricantibus: Premises 1:5 years dinemators 6.10: Piste superior Dines is allo six relique at his subsert alter, to tertices I on tem alour occluding in tries dence I no concelered . I came unopie in ine

Scolopace annuers 12:13 hos tro recto, Dedibus Lutes esortibus Decrypt: Rostrum negrum, subrecurvatum; quela albay Captut, Collum, a Dectus, also nigrog varin; abdomen, album Forsum Yuseum maculis parois albitis bropoggum, et landa, albaj mainlis transversis tuscis; demora veminud ag dita Denta Longissimo, et Figity Lutes cunt; esetimes cum intermedio membrana conjunctos, unques nigri. Habitat in fundis simum aveneris, Caput continues Incolis Stone unlew metri annuens. \_\_\_\_ Victitat Cochleis et inscetis merinis \_\_\_\_ The state of the s

Chatteaux august 1766 4 Roshum regrum perhounishmiggula allay by suin, it lands, allow inquiles honorers faces were required any deter " thate day formenget. of conclos, uniquel, sugar, winded in gundin simbura arenery, Capit continues

Aves Gralla Scolopase b: & Finguis Rostro drenato; Dectore vist your maculis sagittatis nights. Rostrum tenue, negrum, mand bule superiore paulo Longiere; gula alba, caput collum albi, maculis, Linearitus duscis; Forsum et tectrices alorum superiores, manilis in marginelus Slumarum albidis, Remiges nigri, faseus fulvis; Dectus et Latera abominis fulbr, maculis Jagittatis nyris; abdonnen fulvoudbidum; Deles conerbesents Demiges Juscopprime sendique raches nursisqui mini gundern videtur multis higus genens Else Communis Habitat in Collibus aprices, vietitans Baccis Empetre-Pingufima est hoc vois, ceste maseina hyus dori delicity Incoles Curlew - Gregarie

Chatteaux august 4966 5 now the Dinguishook a known to section while it why cas Motes night. -.... vis; Peetres et daters, abouners of alor, marulis: Matis ryris; al somen of also who Dian; Poles conschere he guiden blother will have quent betat in Collebra aprices, vietetania Bacis Empetri-

4:5 Aves Gralla Gringa Arenana: Rostro subulato: Pectore Guscepcenti, maculis nigris: Tedibus Luteo Viridilay. Deser: maginitudinis sturni jostrum subulatum fuscam, basi subleteum: Gula alba, Pretus dusco-albidum, maculis Lincarbus nigris: Dorsum nigrum Humarum marginity restaceis albidisve: rerrèges fusco, se cun dans sive tectrues primeres versus scapulam apiculus albis: alie Oorso cencolores; abdomen album; Dodes sordide Luter-· virides per shectrices fusco jexteriores aludiores: intermedia dua veliquis Longrères, indegentus testaceis Habitat in Litteribus crenosis alia avis Dedes et Rostrum nigri toti: verniges 1:6 dusea, 7:19 Basi alvida, 20 tota alpa: rostrum subarenatum

nimum affinis G: dittores nonnunguam vix major Chatterine Septi mere magnitud ine variat Vide en magnitud me Icolopacis Galinaging an sexus differentie an valeetas lantum ne sero i suplenteum: Jula beloa Pretos dusco: alto Desyma culis A car by ny vis Todain origing flamanin margin rues princed vertus teapulant apoulous alors alice to concolored; ald omen alla my Didet for I destite dispose on ies quies pateriores chidiores: internedio form I gold et Rosburg in grie tête: yeunged in duser, 7: 19 low es , 20 tota oldo: rostrum subarenation 58

27.28:
Gringilla Betulo Rectricibus rutis Pectore albo Pascr: magnitud ine G: Domesticam aquat vel Paulo superat vostrum Conicum mand ibula superiore nigra inferiore Lutescens Caput Rubo-cinereum maculis Quabus albis inter Rostrum et oculor tempora rufescunt maculis nominales albes Forsum rufo linereum ded rectiges et wropyguim rufo sunt remiges nyricant marquieles exterioribus rubis rectricum dua ordines dorso concolores sunt aprilla Palledis Gula Pectry Et Latera abdomenis albo sunt maculis rufis Plurimis abdomen Album Pedes dig ti et unques fuseo albida --Habitat datis frequend in nemerches non numer Densis -

Croque Oct: 7 1766 ingilla Betilo Bertieilus viji Peetra-allo moules respectations in: Magnitud ine G. Jomes tream aquat vel Quelo tupont Town Concern orand into superiore sugges inference descent descent Caput Reportioneum mentio duales albis Ter Bookum et oeulos tempora referent me culis renne but Borrin rato livereum ded notages et mopaquim rupoa ordene I donio con colores dant apriline Palledes Gata Rely doters atomino also sunt maculio rupe Plurinis comen Album Deder beg tie et inques fisce albida hat satis gargeens in name and mor runni Bensie-

1:2 Aves Pafseres deserer Abietina Gostro forfreats dence alanum Duplice elba-Descr: magnitudine Gringillem Tomesticem vix aquest ghostrum nigrum dorficatum max, lea superiere Longrere Caput, Pectus Dorsum Uropygium Pallide rubent abdomen Jusco albidum remiges wigro sed tres posteriores aprice albescunt Secundarie 1:0 migra immaculata cotera aprecibres albis vistantur ut sunt tectrices Couda forficeta higra tectrices inferiores your nigra marginilus albis Jedes nyri Ørgiti Validi -Habitat inter Dinetos conorus -

, was promised to the &

Chatteaux Creque & I see Abetina Goto forfrests Lines Alonem Paples ver: magnitud me Fringeleum Vomestream via aquest strum regrum dorfrestum masilla superiora donguna put, Pesters Dorsum Unopyquim Pollide rubent abdomen 40 albidom remiges respo sed tres posteriores eque whereunt terms in upo immoulate cetinoin when allow notantier at sunt testicied low of orficeta gratestices experiences Equi nigra marginiles albri Bed vegre 3 yeter Social -

Aver Galline Getrao Getraonis Lagopi en Varietas an nova avis: Descript: L. Getner Paula minor; caput, Collum, Deches, June; Lineis panetisq negris et albedis, confertis, nonnullis Leviter flavescentilus; gula albed ier est; rostrum breve, nigrum; supra ocules supercilium Laturn Late coleineum; rome ges omnes albe, Jex prime rachidibus negris, tectrices quoq albe, sed corport versus dorso concolores, tectrues interieres omnes alla; Pectoris Pars interier, abdomen, et tectrices canda interieres albifsimas ted Latera infra alas sunt dons o concolores, Tedes use ad unquely Lana confertifisma alva overtiti sunt; Restrices nigra, apicity alling Dualus intermedicy totis allis -Per totam as tatem minguam fuscior est\_ Alie avis major Erat & Getricem aquans gula of Pectoris Ders anterior rufes centes Palpetro Pallida plumulis normulis ollis marginato sul alas Plumo nonulla Lutes vigraz Jasciata.

· Auer Galleno Chatteaux Septr\_ Unalleaux dengieres et Pedes Lane densione Vestiti compt: d. Fetrus Paula minor; capit, Collum, Seend, gover the las super elem deten fate coleen entry rom ger owned alle, is a normal rached but negrin; testrices quay alla, to corpore in it is done conceller, te trues interiores onnes also; Pactoris t is noterier, abdomen, it testimes canda interiored albeformany a dative infor alos sunt Jons consoros, Peder use ad unquely + no conferty man alive overtite unt; Restrict signa, april : bed ; Justin intermedias totis albid -I stam as tatem runguam fuscor est .... in air graper hat & getrierin ogucy o gulo g Pectrii Pens I timer view witer Palpetra I clida plumilis not rullis old is now also til ales Plume nountle dutes vignez garaffy Getrao lanadensis? Mas Gallino Jesev: Rostrum nyrum Sectus nigrum macula magné magna nivea ad Basin singula Panna abdomen grog nigrum mecula alba ut in Pectore & depe altera in medio Penna arus alba temora fusco albidog undulata tectrices interiores cauda abdomini Concolores Rectrices ipsa nigerrimo apicibusqueloj Forsum que eum singule Denne altido undulata Penna Longa enter Yorsum et alas subrufes curre et raches habent alba Remige fusce immediate tectrices exteriores Dorso Concolores sed Paulo fuseveres ut et interiores sed aprillers allis Pedes Juser Lanati ted Digiti nudi Habitat in densis sylvis inter Betuler

11

Chatteaux Jep to otres hallonde be temore first allow and what technices interiores and

Aved Jafseres Furdus Ferrugineus. Dectore alisq vultus ferrugineis: remigibus rectricibus que omnibus duscis, immaculatis-Descr: magnitudinis D: Iliciei, cui congener: caput nigrum forsum cenereo qui eum; ambo nebula vividi flavo tinctia: ur opyquem cinerascens; rectiges nigro, immaculato; Dalpetro albo; quela alba, maculis Lincaribus nigris, Dectus et abdominis Pars Superior Gernigence, sed Humarum marginibus Leviter also tinetis, tectrices interiores canda alto, remiges dusce, immaculato, testricitus interior dus ferriegineis; Dostrum et Pedes nigri Habitat in Sylvis frequens: area It Johans Gregentissima.

Chatteaux Sept Aved Falseres . , short in Salving greguens: were It foliors Gregent it mies -

Aves Dica Alcedo Aleyen. Brachyura nigra Abdomine albo pector gerrugines Deser: Rostrum lapite Longius marum validifimum mandibula Superiore Paulo Longiere Haves Ovato magno moule albaante Et infra oculos laguet cristatum Coruleo-plumbeum singula henno Rache nigro circules albus eing it collum Forsum & Plumbeo-Caraleur ut et uropy gum et tectrices alarum Exterieres ha tomen apreibus allis Distinguentur remiges 1:9: nigra macula magna alba in mergine interiori 10:20 magine exteriori dorso concolores sed interiori rigra also pune tato sectrices negro also punetato que alla hectus higran tectrues alarum interiores albo fasue ferraginea infra alex Abdemen Album Jemera subferrugina tibio rugoso rugra Breves Digetus estimus connexus cumintermedio Habitet ad oshif rivum rarus

47

Aves Trea Croque June cedo Alegin Brachque rigio Abdominados pedos georegina (com: 2911: 1001: 56:8: I en: Rostriem Cepite Longue ingrum volidefrimmen mandibala errore Paulo Longrove Dines Ovata anagua nacula altra ante who verlos lagent cristatum Combo plumbeum ingela farma hi sugro enculus allow easy it collum ber um & Plumber Carelon et wonggum et tectores alarun lateriores ha tomen aquelles allis ineri 10:20 grappere extensor dorso concolores del inteniori regra o principato rectinies regio also principato que la alla frestat rigna ries alemin enteriores also faine ferragines info ales domen Album demore subjecting me titres supoto sugre

Paperes Nº: 14 Motacilla Bron Motailla supra Giusca, vernigibus subtus Fascie alba-Beser: Caput, tergum, rectrices, uropygium, remiges, Supra Suser; mandibula superior nigra; inferior Basi Lutea; rietus Lutea; gula et Dectus, albo, maculis trangularibus duscis; abdomen album; Latero subfica, ut et tectrices alarum inferiores; Restriges 1:3 dusco immaculato; 4:14 Versum medium manda alba quasi translucente insignito; tectrices dusca; Blanto Longa, Ex albido subrubentes, Vigiti duser, ut et ungus, Digitus extinus Basi connescus cum intermédio

Saperas croque August Motarilla Brini Notwella supra Guarangamis dons vedtus Gracio alla escri Coput, tergum, rectures, unopygum, remezes, edugara descri, eleget Bestert, alto, naculis trangularitus quois; alone bin platers subjuses at et testi es alanum interiores; ever so 13 dura immountate; 4: 14 Vensum medium unto alto quesi translucente maignito; tectrices queca lando donga, es alla do subrubentes Figita quoci, ut et unque glas extinus Base conserve um interved 20 -

Aves Dica 11:12 Duns Varius Albo merog Varius subtus albus occipite nigra Retricibus Longis Veerep: Inagnitudinis Fracedentis Rostrum nyrum setæhares tegentes alba Caput nignum- sed supra veules + Jempera nigra Vorsum nigrum Lemiges et sanum Geetries nigra ine apolis marginibus albo meculata Subtus tota alba Restrices Long i Dro ratione avis 1:2: albatotas: megro albog dimidiata 4:5 mgra Tota Dedestetradactiliquei A Darte Australi mentoundlandra autem accepi

wheel cheel veus vanies Albo ungroz vanu vultus allug overgele erep: pregnitionis diocedentis Rostrin merum showed beginted allo Copit suguem ded oupra coulest General sugra Govern engium Semiges et same tries vigra in apolis marginihus allo meculata the tate albo destries Long To ratione asis : alba tota 3: migro albog DimiDeator 4:5 mgra Total

6:7 Aves Pica Rectricities Longis Corvus Cornleus supra lavulea. nigro gasciatis exterior his apicibres alles Deser: Rostrum nignum validum caput Dorsum et tota avis supra larulea Remiges 1:0: margine exterior es Corulea immaculato interceri nigro relique marque Exterior cornece nyro fesciato interior negro sed apues alba. Rectrices Longe interiores corules ingrofosciato exteriores Coulea immenulater 1cd aprelles alled is tectrices remiguen Cornlea mero fasciato aprestus albidis Pedes nigre tota nois Justus dusca sed Excepte dasca Pactoris negra ad genas

does I was my o deducated total and appealed alless 11:12 Aver Pica Corous Familiaris Fronte alba rectricibus remigibus quigro Plumbeis aprilles albis magnitudene C: Infans turn Paulo superat Ros trum negroon Basis mand abula superieris Dennis albis tectum est fronts et gence also occiput nigrum Circulus altidus cing tycollum Torsum et tectrices alarum Plumbei rectrices et remiges Dorso paulo fusciores apreibus parvis altis Jectus et abdomer Conerea pennis hasi negris tibro sugra Tyrti Et unques Validi Incoles Joy Habitat satis frequend inter arbuseulos vix unquam solus Vicetur

Croque Chatteries + Ellemer was speciles alone notes in C. Forfour time doubt dayers I have from sugress eges and late superiored denvis also texture est front "Yeard aloo is a fut myain liverlier altidas conjutifelles your it tections along flying retries of remises

1:2 otves Anseres Colymbus Urinator Dedilus palmatis Fridactilis Sectracibus alarum done vapodam albis apieitus nigris-Teser: Magnitudenes C: Grylle Rostrum tenue outulatum nigrum Vertex niger Régio oculorum et tempora alba punetis minutifsimis nigris del Pone oculos Linea Darva nigra gula et abd omen alba sed Deetus et Latera abd ominis puetis den potrus Lincolis minutis rigres adspersa sunt Dorsum albis quasi irroratum shemiges nigra circabas in albas vodines alba sunt aprilus tantum megris interiores omtes nues immaculato rectrices besses nigri Peder Fridactili Rufescent Incolis Little Tiver— Circo medium aut Frone finem augusti hur venichant Fauci nune visa sunt non infrequentes in similar est ad Littora maris Chatteaux Sepot 241766 of ver America ?! Gentres Unactor Deselve poloratio Gridactilis Jectrecibes showing done varpodom alors aprehus regres ser: Magnitudinis. C: Grylle Roomin terms enhabering Inver Venter reger Degio oculorum et tempora alla puncti sutificial nigra del Pone oculor Lines, Larve, nigrale et all omen altre ved Pretus et datera abitoriums parte or quere uncording semisges none encoper allo

Aves Anderes Anas 14:15 Graciles: Mainla Alemin Varia, Forso nigro = - Emereo unduleto. maculisq Lunulatis albidis \_\_ Vesev: Manitudo ABos co; sed Collum Longefrimum; Rostrum Plumbeo nigrum; caput, Collum, Deches, Venter, attornen, sordide albreant; maculis creb with spiscis; Vorsum Bignum, conereo undulatum, maculis Lunulotis albis, in singula Pluma insculptis, sed Pluma illa Longaqua alas Gegant, migree, marginibus altridis, Rentriges univer dusces, 1:10 immarchato, 11:21 albo, megro, virid eq varies supra his fectricum apices rufo sunt; fectrices interieres concreo, Plassis normallis albidis, Eleganter negro Functatis; sedes Habitat in aguis dulcibres -

Acco Andere Chatteaux Sept. 1786 had 14:18 freeled: Mancle Alemin Sono, Ford o sugget = Laures under be proculing dimilatio alleris -" ver: Membrookled eaged Colling Long princing Rother "ambro jugamen copit, Collumi, dectus, vanter, allowing given gomere und wheten, moules dunule tri Mis; singolo Olumo inscribetion Dumo-illa-dongagua Es Gezant, major-, manginitus ellisis, Restriger aniver weed the immedial 11:51 also were himself and the more to chrown appear only sent feeting interiores courses inci nacrulling stodie theganter negro Tundatis, Police potat, in again, duleibris -: :

Aves Gralla Gringa Litterea Rostro Lovi pedilres fuseis Remejilus fuseis Fachi Primo nivea dinn: Syst: Wat: 78:12 Veser: magnitud one tringello Tome theo Bostrum nigrum Collum Cinercum Jusco nebulosum Caput Guscum maculis hyncantibus Jossum ugnum suagula pluma maculary ra andulato ted Exteriores albidieres tectrices inferiores alarum albida sed nullis Lineis cenereis Habitat in Palud dres Prope Mari

Aver Gralle 11 Chatteaux august Looks dave pearling fervers Siche Irano was almn: Syst: Vat: y8:12 er: magnitudos mugllo-lomestreo dostrum sugrum cum Cincreum Juseo rebulos um Caput Gus cum maculis weartilut lon un morum deagula plama maculity ra use allo wrong from inform rectuel quote roughts 62

Aves Anseres Larus Albadus. Jusco albadus Johns -Gota avis que describo, Caput, Forsum, abdonnen, Ramiges, Rectrices, alli de i nehila dusea tincto: supra dorsum duscior; maculis nonnullis, abdomen tamen et Collum allidira. Contrus oris, et circulus veulorum, albes cunt ut et rostrum; sed Dedes grogue alvidi; retrices immaculate magnitudinis Le Marini. — Jelopeto Percufsus erat, unicus inter millia Lavum Piscatituin an nova species, an Varietas, an Potius Dullus; multurn hores-

Chetteaux Sep to a vis qua describa Caput Fordum, absonon Remuges, des queque alorde; rectina de inscriamento magnitud anis water Terculous erat, une un onter millie dancem Discotituin nove species an Conceter, an Potice Pullis pulling horesesteaux septi

Larus Parasitici pullus, an Varietas secunda-12 ser: magnitudinis Drimi, sue Columbo mineris; tota avis labout album, sed Denna circum accessos nigra, ut et. manilædue pone tempora, collum guog album; sed Temecirculus niger Doso proximies: Vorsum et remiges line res corules; sed 1: 4 margine exteriore et apre nigro; 5:6 prope apiem nigra sed ip sa apie alba; ultima guog rigro maculato sunt; remiges secundarii 1:8 Dimidis nigro-sunt, ut et tectrees superiores que fascia Lata nigra fung unt remiges primari de et ultimber; uropyque et rectrices nivea; sed apetricim apiedles nigra exceptis 1:1: tohis altrispèdes dusce nigni — priene ad squilles capiendes deptembris 21 ad nos venicoant cum priene ad squilles capiendes

Chatteaux Sept : int whom, to genna weren occaled nigra, wit et. see la dua pone tempora, collum ques orlam; 12 vinculus orgen Dorso proximes; Pinsum et reiniges ever earlese, Jed 1:4 mangine extensive et apres rigras a beard observe weden to give obser expres offer in a wind door ro- sunt, it it technical de president que faster date is on fung and runinged preman to at alterior wroping reduced ninea; ted outrieron aparellos arende Exception Tembri 21 ad not some don't win priore ad squilled copiered Aves Ansered

Larus Deser: magnitudo L: Canz; tota avis vultus cenerea, Jusco. allis; Fedes Lusco Cinerei; Rostrum nigrum, Versus Basin mandibula interioris pallidum; nee Canthurs oris ne e circulus o culorum Coccinei; caput abdomini concolor, sed Daulo duscier; Dorsum ettectrices alarum superiores, dusea, marginibus pennanu, merginibus ponnarum maculis albis distractis; remiges fusee, versulapsiee ingriores; rectrices quoq nigra Versus alto maculato — Habitut in mari Decuplo lopsiosier quam ulla alia Lurum Species: certe Dullus, sed nesero enjus — Chatteaux Sept en: magnitudo di Con Tota ava cultus cuenca, Jusco Filaday in Februar interiores could gutes, quantes the served were myriored, rectineed quog mayor berdud bitat in anon'i decepto lope or or and also also dans

Larus Gridactyli Pullus sive Varietas prima-Descr: In inor, Via Columbar Parvam magentidine aqual Pedes nigervisni, trid actifi, pollue obsoleto; tota avis infra qu'la abdomen, tectrices alarum et lande interiores, niveri rostrum Luteum, gibbo vez notabeli ; rictus Lutes ruberts, ut et Canthaus oris; caput album, occiput et colli Pars superior negro tineta, penna nonulla negra, oculos arcunstant Tors um et Remiges e cerules cineres; Remen Primus margine exteriore et aprie riger, recund us aprie Parva nivea Desinentes: rectices niver -Septembris 21 mira quantitate in Chatteux bay veniebant questuras squellarum parvarops v peciem. ale Varietatis Rostrum Lutco nigrog varium \_\_\_

Chatteoux Septro 23 mon will alphaben with ver In mor , Via Columbani Parvan magentidue aquap Es vigerimi, trid aetyli, polus dosolito; tota avi inpa (a Whomen, testined alarum of laids interiored, mice) Town duteum, glos over notabili nitud dutes rubents, et Canthair orin; capit album, overfrut secipent et coli - 1 superior rigro tineto, penno nonulla rigra, ocular curstant Tors um et Ramges e cerules cinencio; Ramas mus margine exteriore et espere suzer, secund as appire ever were desinentes: retriet inver stembrie 21 mora quantitate in Chattern boy venestant estimat squellanin penvanopa pecen. e. De Varietata & or Frank Lates migroz van um

Charadrias Gringo des Gosto Longo migerino; petres? 2:3 abdomineq altida; Toto alto nigroq Vario — Descr: magnitudine Visa G: Historialam æquat; rostrum Tring of Longum, nigerrimum; Tota airs Juttus, quela pertas abdomen, textires alarum, et canda, nivea; caplet allum; vertex maculis nigris; circo oculos nebula quesca, Lineag fusce abostro ad oulos outa est; colli Pars superior cinerea, ma culis minutis duscis, Forsam nigrum, marginibus pennarum maculis albis; remiges 1:4 higray morgine interiori albidaj religua Basi et margine Esteriore d'imidiato alvo; tectrices alar un dersor concolores, sed passlo pallidiores; rectrices d'useo alborted versus kosen altro ieres; ped estridactili nigerrime Habitant in insulis seal Islands dietis magna Coma. -

Chatteaux Septra abdominea alla day locato alla vignat i anio deer: Graguter one Von A: Histrickan aquat; rothing rejections un regenrimum , do to ciri duttus, quela peta to mounty may of ence ould rebula que can diment ace assisted ad outlos ductor est, colle Pari superior weigh made mentil quois; Tostum negrum, polines, ted paralo pa lideres; rectoures of we who ple Hus horson alled we es; ped estridatelle us envine

Charadrias Pluvialis Dédibustainereis cerpore nigrovisidiq maculato subtus altido Linn: Lyst: Nat: 79: 8 Isicr: Aostrum Ingrum from et mala altido maculis paris fuscis laput et dors um nigri maculis subrotundis duteo-fuscis remiges dusco immaculato ded versus besin et pagine interiori albido abdoppen nonnullis totum albicat sed non varo plumis negres intermentes stori abdomen fere totum higrum -Habitat in Collebri aprices Gregaria Vectitains Baccis

Chatteouse Sept: 107: Rostner Grenn from et mala alhis maculis pain ici lapret et donoum ingri maculis subrotundis duteswhich remiges quois immaculations is virins bear et paques . Friend allow a look on normallis to hum altriest so Jones plums regret interinceled their abdonier ... 68

charadrias Hicticula Pectore Nyro fronte nigricante describados Vertice dusco ped ibris Luteis : d'un: Jyst: Vat: 79:2: Descr: Rostrum Croceum apice nigro nonnullis nigrum totalestantum mendelule interioris loced from alba Vertex duscus also Leveter un dulatus regio oculorum albidiar genarum Justier gula g pars superior Colli albo quo albed o extenditur in Collars album pone collum Vorsum Juseum Concreo un dulates que loler latend tur in Collare guseum aute pectus abdomen album Remiges Jusco 1:3 margine interiori albercentes 4:14 many willows exterior this et interior this albescentes omnum vaches albo ingrog varis verniges secundaris 1:3: fasca immeuleto relique aprierbus albis rectrices quise exterieres albidieres 6:6: toto dusco 1:1: toto albo religno apricibus albis Pedes Lutes finci Habitat ad Littor avenuse gregaria

fred Graller Chatteauxe sept 17.66 exabreas Hecticales beston Nyro from Vertice quice ped dry futer dun: Just: Vat: 79:2 sofantum you thele inferiors have from allo dutesstate all um por colluin Vorsan Gestum Concres in diclota

Gringa Lobata Rostro subulato apice inflexo Pedibus Virescentibus Lobatis abdomine allido Linn: Syst: Hat: 78:5 -Feser: Magnitudine G: Litteream aquet vel paulo superat Rostrum aigrum termifs imum aqueibus acutis Caput Paroum frons alba sucha nigra Linea alba, a Fronte Supra oculos Gempora nigra Gula alba Forsum ougrum Plumarum marginibus rufis Gertrices alarum Nigro apricibus albidis Pectus Guscum Venter et abdemen alto Pedes Plumber semipalmeti Sed Darte Exteriori Lobati -Habitet ad Littera maris sed Rances

Chatteaux Jepty 4th 17 66 dobatis abdomine allido dinni dyot: Bat: 76:5 er: magnitud ma 4: ditteream aquet vel parlo superat Bootomin our terini former specious sentis Count Paroun from alto che vegra Linea alba a Grante dupra acides Jempera nura tives alerum Wigron apresent allidis Peeder Guscum Parte Exteriori Soloti -That is fitting one is to Danier

Aves Gralla Gringa Interpres Ped bus Prulis, Corpore nigro albo formigina, vario Pectore Abdomineg albo Sum: Syst: Nat: yo. 4 Fescr. Rostrum ongrum breve Validum caput Juseum maculis nigricantibus geno et tempera altidiores ded intra etante foscia norva atra fu la alta Collum et Pretus alto nigrog varia absomen tectrices alexum interiores et Coudenglia pedes & Luteo Rubescunt Gorsum abdomini Concolor sed Huma nigra Eun tegunt ferriegines maculato uropy quem nigrum remiges mero Basi aprieg albo exteriores albidiores rectrices 1:5 higro margine interiori albo veliques basi albeseunt verniges Tourndarie après albescent exceptis topremis totis higris Habitat ad Lettora mares Gregaria

Aved Gralla 35 Chetteaux Septr ingo Interpred Ted And Rubins, Corpine viens also fine our in Rothum organin breve talidum coput Euseum when regressitely consoltangure allowed jet who starte the we never atria for Co alto Collins at Section also injurge land the one tocknes alesun ateriors of Contract the pedent " I so Ruber cust Tortum alfornin Concolor ded Fluma sugna terint ferregue naculato inopyquem regium remijas ve interior illo veliques his alles unt verriges

Aves Anseres Anas Mollifsima Dostro Cylindrico Cera Dostrie Bibida Rugosa Linn: Tyst: Nat: 61:12 Descript: mas: magna Megnitudine A: Moscatur aguans Hostry Paroum fuseum Cera Jusca rugosa Postrie Bibida Denna ceram Commambientes nigerrima Velutina mucha et occepit einered gen a et tempera velutina albavirido fineta out gula Linea nigra gula una Collum et Voisi Pars anterior albo Pectus album Verrugenco tingtum abdominis et Vorsi partes Dostica nigra sedad Latera bropysie macula dua rotunda albas remiges nigra sed teetrices tem Exteriores quam interiores albo Actrices nigra Habitat in mari salso nunguam aquas dulees ingredient duin dæmina Bois insidet gregarius --

Hare bay June immentis Ceteroris and made places of the party one of the top have been been of my henters was well this a mechanisment einer me to state and every over the trainer above to its to the out years done in region the selection of the training of the for her ingres to day dates the best of an execute Dura rating a citizen remiser in grand of the true 

+ Aves Acceptives Galco Buteo Cera Dediturg Luteis Corpere dusce Abdomine Pallido maculis Gusces Linn: Syst: nat: 41: 14 Veser: Fota Aves Supra dusca de Jenna bronger et tectricum aber um mergines derruginees habent et alto maculato sunt Gula et Pectus derrugeneo-altro vunt immeculata abd ornen gerrygnes - albidum maculis Long tudinalibus duscis Vernera abdemine Concolores sunt sed macula dusco obsoletieres sont dectrium dones laterier derrug mes disce est fasseis pluring obscircerebres apricibers q fusco-albedis Falpetra Carules cens Habitatin Sylvis

Chatteaux Sept 20 17 66 30 theo Briles live Indeling Liter Corpore dures; Adams De Reid o moules had us line: Syst: Het 41: 14. The it letter development about immericate soft onen theming loves bent god marilo devoca dos letines sont etricion facio laterior den eguas disca est faceiro pluning consoler equilous fure-allas is Palpetre Carolis since.

25:26 Aves accipitres Galco Vigil Cera Carulea Peditus Luteis Remigitus Rectricitisq Juligenosis Rufo-Albido maculatis Deser: Flalumbario Affinis sed miner cera Carulea Rostrum nigran Versus ceram Pallidum haves rotundata magna cum punets in medio Frominente Palpebro implumes sed Vibrils is instructo capit rufo-altido fuscog verium gascia Obsoleta vulo-altida atoculos ad. occipite ut in Falumborio Jone oculos et in sinu oris das ere more Led Tempera et que rubo-Albida sunt Pectus et abdomen Auto-altis Cretris maulis Long the malibres negris and immaculata tectrices. interiores Conda docación Fransvers is nigris Pedes Luter Valed fision Digiti Long i subtus tubereulis Dottosmagnis instructi que la la ing rupibres sedit Forsum et tectrices alanum fuliginos de margines Pennarum Autis remeges nigricant sed mergine interieri meculis sure fasciis rifo-albois nieto sunt textrices interioris argra merculis in merginibus rubo albadis Rectrices nigra apinibus allis marginilus maculis rafis qualus intermed is immaculatis

Bbs: Et Remigium et Rectrium Pagine interier Fallidion es Habitat in Rupibus Propenare orgil dum anates ex agram voltare visit he vero volitantes simulae Galeenem vedent alis Clausis Dronos se in aquam Brojiciunt Chatteaux Jeptr 26th 1766 spile it in "Alabamborie" one proles et in some oris dorsee supra Tempore at Que replocations as west Poeters et and onen Relo-alle report to the Contrain of Perticul along de legens a nation Incorner dutie remarks propriet des mangine interiorie The mergin deal the could respect the sent in terms and manufactured to

From: I: While minor Rostrum nigrum sed Parte superiori flavescens gena albo semicinecelo nigro cineto occiput ni grum maculis pervis subrotund is albis Torsum negro-fuseum maculis substrind is albis majorebus remiges et tectrices dorso con colores maculis albis in ambis morginilus rectrices queg nogro quisco fascus transvers is allis que macula seu nebula sugra distructa Est Lectus abd omen Senter et tectnees alarum interiores albo Juscis transversis duscis demora dutes tincta sunt nebulis Juscis titia brevissimo Digitos ad unques dapatos — Habitat in Sylvis -

Aver of certified 25 Croque: chatteaux heir Vanus Allo mysog danies remige que to minist fliveriens, gens allo somicinals rigor ener no fureum marely outrotund is allow anagorelas mages it textured dono concolored marchis allis in and marginilus rectures que nogro que co garens insvert is alting quela moula seu rebula pregra distructa we transversi lunis demora dates tireta unt rebulis in the heartons digitor ad ungues defeater \_\_\_

12:13 Aves accipitres taleo unem atus Cera Dedibus q flavors gemerches allis maculis Rotundatis flescis -Deser: Magnitud me GiMilor Rostrum nigrum Basz Cornlescens Palpetro cornlea laput et Colli Vorsum migri Pennorum marginitus kufo-altidis Torsum duseum Reetrices Juser sed aprices albo sunt et fascia quing nigricant sed intermedis dascia ultima obsoleta est remiges quer fusci Jasciis in Pennarum marginilus albis nigro Dunctatis technices albo margineta sunt gule Pectus et abdonnen albo meculis dongetud inalibus nigris demera quoy alled jed macula. Yorum Adurato sunt tectrice alarum futeriores alba. sunt maculis et fascies fuscis Pedes luter unquilres Longitumis rigvis donces interna alaxum et and a mutto Pullid vir est quam externa Halitat in Sylvis Gallinis northis intestificans Croque Oct 5 1766 male pour les ones into nom al moulis Returnatio atis glessis -Eser: Magnitud une hiMilia Roction nigrum Basic vulescens Polyehra carulaa Copy et colli Borown signi morum anang white Auto-alliers Forsum fuseum Restruct ie sed aques albo sent et fasces quire ingreant sed ermodeis donce altima broleto est jourges quez funci vis in Pennarum anangember albis usero Dunetotri betices be mary noto hust gale Pretur et abdonen albo-meulig ofter inalities rigins demons quet allador les maculas um hoter o Toto sunt testries alorem Enteriores also to morney exposers quein hor luter weguing refrince hiprit dones interna alarum et and multo della in est quam esterna

Anas Germosa albo niero rufog varia farcia in vinu oris marilag aurum alba Desper magnitudine media A: Clangulam Vix aquat Rostrumparous subrotund um Plumbeum in sinu oris fascia alba ad oculos extensa dinea nigradateribus rufescentibus a fronte ad occipitem ducta est derticem totam tegens tempera genæ collum nigro eineres sunt Excepto macula auxium rotund eta Eleneag vub cam decrem ducta albo Basis Colli Collari also circumo atas est Pretus et Bors um Cinereo nigri maccila alba nigro mergineta scapulam tegit. Abdomen nigre fuseum sed Latera rufescunt Ded es nigre Acobreces. ghoghe nigneant Remiges

. Huer Andered nos Formoto allo maro enfoquaria garcia in venu oris · moulog owner allo word magnitudine medica A: Clengilom via aquat Rostrumpina explo macula con un rotund ato allowers wheam Berson ducte to Bases Coller Collani also commisates cot Gesties et Bors une enco mgr. mercela alla moro mangineta despulam tegit. from one mayor durant to destine intercent Podes vegor Dectrus

30:31 Aves Anseres Anas Thascas Jusea, Macula Alarum Varia, Puneto minuto albido infra oculos. Descr: Magnitudo Crecice, Rostrum nigrum; ourput fuseum geno, tempora; collum, grisea; punchis minertis fusus; sed panetum album intra oculos, seu potrus palpebra injerier tota alba; gula alba; Dectus rufo fuscum, maculis rotundatis nigres; abdomen album macules fusers; tectrices rectreum interiores maculis Lincor but nyris; Forsum higrung sus co und ulatum ; Themiges v: 10 dus co immaculato [11:15 Parte enteriore nigra, apiega alba : 16:20 parte anteriore Virides apiculus quez albis; 21 parte anteriore d'inea nigra; Jectrues remigium superiorespromo vufesant, apuebus. Habitat in aguis dulubus -Inerlis Teal -

Chatteaux Sept. Hoed Andered rad Indead Judea, Maculifortioning varior Juneto mounts peliedo infra oculos. in takes vegres; absomen altering mainles futers; tectrices enterior mayor apriesti alla 46:20 perterans Truces remequent papersone sufacount, aparland,

Aves Anseres 29:30 Anas Carulefeenpres alarum Incgna Carulescente -Jeser: Magnitudo et: Crecio, Rostrum nignum; mala plalum abdomen, dusco albogue vani, gula alba, pedes fusco occuput nigrum ut et dors um, ved Margines Dennarum Porsi Juna Junt; Remiges 1:14 mgra, 15:21 Timideato Rudes; tectrices alarum Esteriores alba, meculis Basisque menis; abbis ad scapular Gluma omnes carulescunt \_\_\_ Chatteaux Septr 121766 — Habitat in aguis Julaibus — Incolis Blewwingd Feal \_\_\_\_

chatteaux Septr 36 Aved Andered 30 Anas Caruleforgues charin magne Cancledentes to Magnitude et: Precia, Rostrum injuming mala following men price altroque varing ale allan pedas dos espocaças ingut et dons in sed Mosquies Cennenum Porti gune from caturered also meeters Beringer ougsing alkers as in Olume owner consequent -

19:20 Aves Anseres Anas Talsa Vorso remigibusq nigris, Frente Supra rostrum excurrente-Descrip: Rostrum nigrum, satis magnum, mandibula inferiere apice rubente; Caput nigrum, Dlumis supra rostrum Es currentibus; gene nigro fusco, maculo altida ante et Done oculos; Varsum, remyes, et rectices, nigri, Gula, Pertus et abdomen, Ausco cinerco; Pedeset Tigti rulri membrana negra i geti intimi et Posterioni membrana rubra: At abetat in mare vales nunguam in aquis duleibuj d'ài Alia avis apese vostri Lutescens gula et Pectus GuseiChatteaux dept: 13 17 66 nex days Jens remisiping vising from proper ration la winester de cor apres rebentey laport regrumplumes supraif he who mentione inge I get when at gother

Anas Marinus: Nigro Guseus, Capite rootrog nigris; Semporitas Tever: Rostrum Darvum, nigerimum, ut et laput supra oulos; sed tempora, gena, gula, albida, maculis minutils imis duscefreentitus adsperso; Vorsum, remiges, rectrices, et tectrices, nigro dusece, sed apuibus vectricum macula minita alba 2 Aachi Elongato; Pectus et abromen duses undulis albescentitus sed Pars média inter en seur venter albient meculis remnullis fascefreentibus Jectrices clarum intérieres qui co apriches albis Pedes dusca dlavo tincta alia avis Fluma Longa dorsam tengentes flow tineta cum Linea minuta alta Front apiem Habitat in aguis Jaluis

Newdound lander Part merid ionaly mipris 38 respectful cooperlot lorium remiges, rectues, et lactures a furea, so doughed vistricum me cule minister allow e etri Clongato; Pectus et abdonnen dudea und ilis alberentila a lovis Huma denga Consom tengentes flows trueta eum denes mines elet in as in talacs

Aves Anseres Colymbus Aveticus Pedibus Dalmatis ind wis is Gutture Nigro Durpurascenti Linn: Syst: Nat: 60:1: magnitudine multum variat avis qua Vescribo anserem Eguet Rostrum rectum acutum negrum marginilus Polled is mascella inferior minor inter superiorem receptur Caput et Polli Pars Superier nigra det sub gulam Linea Paro alla Collare allo nigrog varium maximam hattein Colli and bit sed nigred o colli Percurrit sum prope pertus Collere alum nigro Purpureum Jectore in cumbit Acetus Abdomen & tota avis subtus alba sed Latera nigro allog Lincata suit Gota avis supra nigra me culis rotund atis albis remises « rectving pigra immaculato Pedes Palmati nigri tibio compresso-Habitat ad Littera maris et en simulus frequens -

Croque Chattenia un month 1944 39 Eymbra Arctices Redions Palmatis ind wisis gations Niero Purpunas centri dini: 40t: 1651: 60:1: control on matern variat air que recordo asserm est & strum rectum centum argium magembres int et Polli Pais Juperier rigra de? Jub que lam Liesa. calle Clare also ugoog vanum maraman hatten It was not sed vigred a colli derement sum more pertur are a lum vieno Purpareum Petere in cumbit Rection amon & totains when allow fel Latera union allog Linesta, un wir supe a gramaculus votum atis albis remiges of restrain 10- conneculator dedes Talmati enjoi litrio compresses what at Letters main at and unches frequent -

Aves Anseres Colymbies Clamitano - Capite Collig Latera Cinerea marula out Collo Gerrigineo-Rafa -Teser: C: Archie multo miner or Anatom Marschatam Magnituthe Et Basis Colli Albo nigrog Lineata sub quela macula subrotunda rufo derrug men Dectus et abdomen nues-argentea sed Latera migra marulis nonnullis albis et infra alas penno nivea rachidibus albis Vorsum remiges rectrices dusco-nigres Pedes Salmati Vorso concolorg Habitat in linulus et Prope dettora non infrequent -Theolis wholbre Obs Linneus Putet hene spe dominam arctici d'ortafse recte ded sono Viversificina est et multo varior

Ox Hoco Andrewed chatteaux leptr Clemitario Capita Colleg Lalera Cinerca. march out Collo Geniquio Rofa betat on someting et Priges dettino non inhequend correprint est et multo varior

Aves Ansered Alca Impennis Rostro Comprefso-ancipiti sulcate maula Ovata untring onte ceulos Linn: 141t: 9at: 63:2 Fesier: magnetido anieris Shostrum Compression mandibula Juperiore vulcis y una basi prosidora o sex prope epicem inferior o omnes prope apiem sita Papiet nigrum de d'acce mento alto ovato ente centes posito sunt Pollum Dorsum higrescent ale mineno columbino mucres from nunguam volutat et tenquam de urmand o dormato sunt propo sont sed penno Lateri provino apres albo habent rectrices quez minimo nigro tota avis subtusalba Est Pedes myre rugos i tridactyli -Habitat in alto mari varifime usus intrans -

Chatteaux Septr in Junum Boats untiing ente ouder Lun: 1421: 9121: 68: 2 teriore disterry was been proxima a rea prope queen who also water order parts int lellum Store revent ale immina columbia munes prom numpoum The cover subtraction Est Pades myre rugor i tridectyle -Rahitet in alto man renificme were when

1.6:47 Insecta Coleoptera Perambyse Lymba Diceus Gharace Dunch's tribus Executis Elytris Viriatis — Jeer: Corpus Angustum Long tudine dolliers Gransversi antenne corpore Paulo breviores caput Elytra Thorase Pedes Diceir Elytra Striato striis Qualit Elevatis et margine Al'domen Canes cans d'uli satis Inagni nigri-Hujus in secto varietatem vidi Elytris Dedilus q Castaneis Articulis antennarum tiharum q albis — Habitat in since Chetteaux satis Grequens

Corambyon Eymber Breeze Thrace Princh tribin Fev: Corpus Angustum. Long tridine dollier tra Thores Peder Picer Elytre streater stries dushis 74

16:17 Insecta Colegatera Carambyse Gasciatus Therace Spinoso Pubescente rugro Ely tris testaceis daveiis duabres duveis — Deser: Therase et Abdomen nym pelis varis lanis obsiti et ntenna Corpere Brevores nigra Deder nigri Jemora Et tibra Longifsma Ely tra base attenuata nen conswente Jestacea daseus Vualus dusces in singula veuli Virido -Habitat in Since Chatteaux varius

Bbs: Elytris aprice attenuatis ad Lepturas accedit

Heseriphons of Sond Wind the A seemed from Linnauga Furdi in the tongue which instead of being lover Emargineta list worded at From the Top of the bill to the End of The Claws he measures glanches his wings extended 15 1/2 mohes his Bill is yellow but black upon the typ made of his month yellow his Theroat white with a few black Shots the upper Part of his head & Is Ath his Cheeks are black Excepting a white eirele Round Each of, his Eyes the Jupils of which are Black his Breast sides & the under feathers of his wings are of a light ish terrupial colour his thinghs are brown a little Shetted with white about the Kneed his feet & toes fa deep Brown his Rump is White his Sail

The outsides of his Wings are Brown his Back Tark ash Colour a Small Bir seems to belong the Janus of Iringilla from the Point of The Gill to the tip of the Claws 5 inches its winces latendes g in ches the upper man ble is black the Lower Filesh Colom inside of his month solesh Colours fis Throat & Breast are white with & Cack Shots his Belly & ramp white his legs L Joes are Light Brown his Class a lette Tarker the under Part of his Juild wings Light Brown the Top of his head Varies in small Shots with Black whited known the Jupile of his Eyes are Black, over roch of them is a yellow line his back is in Colour like the Gonof his head his tail Which Consists of ten feathers is known the two outside feathers being his with White 22: 6 that seems also to belong to the senos of Fingilla hig lengt from the


Sea makes his wrongs Estended, 11 makes The upper mendible is black his lover thated with Frianguler gine what his Side with Long whoth of the same shape tipo with dervieg mens his Rundp white his feet toes & claws of a very light brown the inside of his wing the glat Brown inside of the Sail the same with a ferry Singe he top of his head ash Colour durk very small Ferrymens snot the Pupils of his yes eve black on the uppersident Each of them is a small Nite that his head Cheeke Ferry income his Back like his head only the shets much darger the Covert Feathers of his Wings are Gerrugineous the wings thouselvey are known the lovest reathers of his Sail are also Geriginery It is Sail consists of Scathers the inner Part of which is know the outer trengence, 9his also seems to be of the Gringilla Jones his length is 5 1/2 inches his Breedth 8 his Upper mand ble is Black the Lower

Tasky hab Throat is white his weest a Ettle borker his belly white again under his wrongs is dusky with Longish white That's his feet tres & Claws of a Busky Flesh Colour his Sail Consisting of tea Geathers as h colon the top of his head unmed ately over his Brak is Black about that is a large spot of a deep ferrugineary Colour over his Eyesvung a line ofash Colen his Eyes themselves I had not an oppertunity of seeing the back of his heer ognin is black his neck dark ash Colour his Back is shother with Block & Brown the Covert Freathers of his Wings are Is lack with sorrying Signare the innermost Scathers of the wings themselves the Sail Consists of the Feathers the oitside Dises of which are of a light Genry ineary Colour the inside 22:5 gull Kind which differs in Ime Particular the Land Canud go

of which differences only I shall take condice its daugh is 15 inches to Breadth 37 milla manle albe in medio Ny reding (Excepto Primo) - Jedes nigri Palmati Gridactile cum Pollice obsoleto ut in L: Gridactiles \_ Tris oculorum Johns Camber quam conser - Lingua Sagettata ser non befra 23:7: Wob Jea Digeon Colymbus Grylle Launa Suecua with some male Tifferences as Sectures Secunda non tota alba tid Versus Basin Migra Gennee interiores a larum. Tota alba souli Righ Os Palatum Linguer Benthus onis Rubre Longetied o uncie 15 Latitudo 24,5 2: Noy Beach Berd Isinga Appolences seems to answer in Every thing but the middle feather of the tail 4 of Linnass kind were quite

from only 2 of this 24:4 Nº 0 Losia Enuileator Linnai answers In treemly well In starillo species its singh is 4 9 1/4 mobile its bread the 6:1/2 its bill rather Glat the upper mandible is & Black to Lover is cack at the Tip but white In the Dase inside of his mouth white Eyes black his neck throat breasts Acily of a heartifull Gellow his get light Brown his Claws some is under his Shroat goes over the toposhis hill a eyes the tend his head is covered with a large what of head thinking Block his Back is green as are the Povert deathers of is bengs & the outer Eage of Each of his wing feathers as are those of his tail except the 2 outerworks

30; 8 No 10 God Kin Framing. teet one sperimen is Doler Colours er the Rest in all other Particulary a some as the Last 30: 9: No 11 Instacilla Species. greath 8 inches lengh 41/2 top & is head neck a back are greenish ich feather having a black spot in e middle the tail is dark, each of te outer of cathers have a think just from the inside of their Bottoms e upper ceveri feathers of its wings and ark with white tips which may white Bors ears the wrigs the will feathers themselves are black the a very narrow greenish linear to throat times with Gellow kut lowderd over with Block Ilas Mr White Legs a Claws flesh




## Getrandria


Il Alla Plantaginis species que in anglia O: Laflingie Vocamus 3) Certe Crescit in Taludibus Wiliginosis circa Chatteaux an Vere 9. Lafling i multum have hos & Maritima Vulgatifsima Est in inter Frifsuras rupium Prone mare folis semicy lindicis nonocung uam inventa est in Limo et arena mobili folias doliis Paulo Latiorilus Dostea? in Paladibus uliginosis dolis Latis Læflingri Jolia non varo tinguntur anaculis sanguiring in hac & altera vherie (su non sunt una lademy Planta) g non in ulla alia Plantiginis specie que vidi. Pdoflingi in His panie Creseit in agrorum Lightibus in anglie quiden gindalrator inventa est in Dalud ilus Prope more ut ostibus altisionis Lotus est Cornus Canadensis mirå gudem abandantia forsmerefima is to Planta oboestit Partes dicciores et Borealis et medidionalis newformalia Convenit cum C. succesa in omnes Partes excepto ramo Lateraliqui nunguam vidi guamois millea istanem Dentarum Examinar 10 Corners Corolla Injus Planto pagra est haveo tamen an a Pracedente

Cornus Corolla hujus Planto pagra est hære tomen an a Pracedeste Cornus Corolla hujus Planto president sifferentiam observare hossum guamois differentiam observare hossum guamois depissione Plantulam illam inveni semper prope mari necunquan sepissione Plantulam illam inveni semper guoque volus invenitur nece colonas de distantein semper guoque volus invenitur nece clanad ensi moetus quamo is et canedensi Que meri Propinga C. lanad ensi moetus quamo is et canedensi Que meri Propinga

non infrequent Drostat

I dafing in multim have has I then time Vilgatiforma inter inter Enformed respirem Prone mean folio Genney lind was minoung com insente est in demost evene makeli galore y non , in well a let Olon Francis dieces qua vide Polaflingio in this prance of the approximal definitions in angles and a quidence of income to in Outer Singer more who Esteland altinuis detunest Vorkus Canadensis annaquedem absorbantite donmar fine is to am vide quamors milled estame scenterum reminer. Corpered Corocco Jugue Planto spegra 207 have timen in a Precede to 450 belowed at so sis lanters venter quique volers moenities nee Clarichant mater quenous et canchente la se massi Propose







Pentandria 2 In solo Dingu Thamosifichima Est Et Floribus Conferta in avenoso tam en un ico tantura terminala Corolla nune Quad rifid a nune guing nifide est

Radix hugus Planto non varo Prostat Emp him in officinis
anglicus Chirurgus primus noster me certum facit quod Popidot
omnes Safrajaarillo vires sed fortieri grad it et minori dos i In Dieinam tretam agrati Drobet 5 Carolla Aujus Planta mere Colore Variet nunc alba nune Saturate Purpurea quamvis uno la demque doco Enascuntur Vixunguam Vidi Corollam hujus Blanto Explicatam in angla Jub has dere sole eum congenere ous I: kotund of die Formos issime Explicatur


Pentandria In solo Ingue Bamood of mo Est It Hordres in arrivago tim en un no tentura terminalo Corollo nome Corollo Guiges Planto muse Colone Variat nance also nance Saturate Ourporce quamvis uno Esdemque doco insocuritari Visunguam eldi Corollam bujus Blanto Esplicatam in engla who has vero vole cum congener ous 3: kotund of dia Emotiforme






Hescandria 3 In New foundland enere Greguens est ista Planta solis quidem Diversifsmis glad et enim Inter sphagnes in Dalud ilus starilism Late flerens vidi Etiam in apricis aridifsimis sed flores Sptime Drofert in sdo non nimis humido


100 3 In New Jaind land anine Erieguend est is to Plants solis quident to solis quident somis fait of has propried in Dolle Sons trolly and dotted flowers old Etam in apries and formed sol flored obtime Fingert in 1 do non nimis runnis.






101

5 Stellarra Graminea Frimo Ostate home Plantam semper invent sine cor dla ved circa anedrism Julii cum corollas Satis emples ubrque Legitur 100 5 telleria Grammes Duno Rotato Gong Planton somper invent some es alle var ever and view Julie com coultres totis emplos atique degitors







## Icos andrra

Elomarum Palustre In anglea nunguam nisi in Paludity bliginosis occurrit circa Croque tamen frequentifsima est Drope mare in Louis Tabulosis ubi nunguam nisi Pluvis anadefautur

104 5. Comorum Policotre\_ In angles runquam nis in Fall in All Singles many man in Tall Singues to grave frequent from est. I grave mane in Louis tabularis who manguam sin Plusing





Instaulle -Contents of Neg Nos 19: 2: Gaster esteus aculeatus 1 19: 3: Small Din 11110 19:7: Iber Moscatus 1 Losera Card malis 11 19:11: Sculpen s 19:12: Sculpen 11 19:13 lat Fish 11 20:1: Echunus 12 20:2 Chunus 11 20:5: Fucus by mistake but learns to be the Best 10:9: Thrus h 118,1 22:4: Giringella Species Cap ! Williams! 82:5: Larz 11 29:6 Fringille Speies / Lusuman amulans 111 24:2 murena 11 24:3 Gringa Hypolenios 11 15 24.4: Loxia Enueleator 1 19: 1: Salmonis Sheries s 2.6: 2: Gold mind 1 26:3: Grinfilla Species o 26:4 Hirundinis species 1 Darus Dalustris s gold Bir Famina? 111

m. Surely I

Falco Lagopus Gerrugineus lat: 1:3:3: Robin or Newfound land thrusk let: 29:29 Lark of It Julians Isle Cat: 32:32 Brown Bittern Cat: 70:70 Blue wongd teal let: 99: 99: 4es: mal: Stink fogel let: App:3 Ararlia Vasaparilla Cet: app: 16

eleo Lagoport Generalieur Cat i 3:3

BANKS (SIR JOSEPH), P.R.S. Accompanied Captain Cook on his Voyage Round the World in the Endeavour, 1768-71. THE ORIGINAL HOLOGRAPH MANUSCRIPT OF HIS NATURAL HISTORY OF NEWFOUNDLAND. 58 pages 8vo and 4to. Dated, Chatteaux, Hare Bay, June-Oct. 1766. In Latin.

This precious MS. describes Plants, Birds and Insects. During the summer of 1766 Sir Joseph "went to Newfoundland to collect plants with his friend Lieutenant Phipps."—D.N.B.

£30

£20.

M. (1.). HEROICK EDUCATION, or Choice Maximus and Instructions, for the most sure and facile training up of youth, etc. Portrait of William of Nassau, ramo Original calf.

Printed for W. Hope, at the blew Auchor, rosy Presentation copy from Edward Carleton to his cousin Robert Carleton.

th his contemporary inscription.

This cerious little work is unmentioned by Lowades

£20.

